

Supplemental Table A.

Within-Condition Statistics

	SENSE					TTT				
	Pre	Post	FLWP	Post-Pre	FLWP-Pre	Pre	Post	FLWP	Post-Pre	FLWP-Pre
Social Anxiety	3.614	4.183	3.920	.569(.470) <i>p</i> = .226 <i>d</i> = .365	.306 (.456) <i>p</i> = .502 <i>d</i> = .203	3.989	4.027	3.808	.037(.149) <i>p</i> = .802 <i>d</i> = .025	-.182 (.109) <i>p</i> = 0.97 <i>d</i> = -.122
Vocal Expressiveness	4.287	4.285	4.217	-.002(.379) <i>p</i> = .995 <i>d</i> = -.001	-.070(.324) <i>p</i> = .828 <i>d</i> = -.044	4.323	3.854	4.010	-.469(.300) <i>p</i> = .118 <i>d</i> = -.282	-.312(.236) <i>p</i> = .185 <i>d</i> = -.187
Quality of Rapport	4.158	4.151	4.245	-.007(.236) <i>p</i> = .976 <i>d</i> = -.005	.087(.164) <i>p</i> = .595 <i>d</i> = .065	4.097	4.202	4.237	.105(.223) <i>p</i> = .636 <i>d</i> = .073	.140(.157) <i>p</i> = .371 <i>d</i> = .104
SRS-2 Communication	32.333	30.252	29.660	-2.082(.557) <i>p</i> = .000 <i>d</i> = -.228	-2.674(.427) <i>p</i> = .000 <i>d</i> = -.291	32.280	30.332	30.152	-1.948(.720) <i>p</i> = .007 <i>d</i> = -.206	-2.128(1.105) <i>p</i> = .054 <i>d</i> = -.221

Note: Table reports means for Pre, Post, and Follow-up on each of 4 outcomes, separately for each group. Change from Pre to Post (Post-Pre) and the change from Pre to Follow-up (FLWP-Pre) is reported as Mean Change (*SD*) and 2-tailed *p*-values, along with Cohen's *d* standardized mean differences. Tests account for cohort, but do not control for elapsed time between Pre/Post/Follow-up. SENSE = SENSE Theatre®. TTT = Tackling Teenage Training.

Supplemental Table B.

Proportion of Sample with Clinically Meaningful Shift by Condition.

	SENSE		TTT	
	Pre-Post <i>Lo/Hi (%)</i>	Post-FLWP <i>Lo/Hi (%)</i>	Pre-Post <i>Lo/Hi (%)</i>	Post-FLWP <i>Lo/Hi (%)</i>
Social Anxiety	25.44/ 43.86	26.32/ 33.33	24.73/ 29.03	29.03/ 22.58
Vocal Expressiveness	29.82/ 23.68	30.70/ 25.56	41.94/ 18.28	35.48/ 20.43
Quality of Rapport	26.32/ 27.19	28.07/ 35.09	26.88/ 30.11	27.96/ 27.96
SRS-2 Communication	55.26 /25.44	56.14 /28.07	45.16 /24.73	50.54 /27.96

Note: Table reports percent of that group's participants whose reliable change index (RC) exceeded -1.96 on the low side/decreased from pre ("Lo") or exceeded +1.96 on the high side/increased from pre ("Hi"). FLWP = Follow-up. SENSE = SENSE Theatre®. TTT = Tackling Teenage Training. Bold indicates the optimal direction of the RC to support clinical significance.

JCPP Supplemental Figures 3 and 4 Standardized




Figure 3. Path diagram of SENSE Theatre[®]'s comparative indirect effect on Verbal Expressiveness at Follow-up through Incidental Face Memory (IFM) at Posttest. Standardized coefficients (and their standard errors) are shown (treatment effects are comparable to Cohen's *d*); * = $p < .05$ using 1-tailed tests. ^aControlling for IFM at Pretest and the interval between Pretest and Posttest. ^bControlling for Verbal Expressiveness at Pretest and the interval between Pretest and the Followup assessments. The standardized indirect effect ($a*b$) = .064, 90% CI [.014, .118]. SENSE = SENSE Theatre[®]. TTT = Tackling Teenage Training.




Figure 4. Path diagram of SENSE Theatre[®]'s comparative indirect effect on Rapport at Follow-up through Incidental Face Memory (IFM) at Posttest. Standardized coefficients (and their standard errors) are shown (treatment effects are comparable to Cohen's *d*); * = $p < .05$ using 1-tailed tests. ^aControlling for IFM at Pretest and the interval between Pretest and Posttest. ^bControlling for Rapport at Pretest and the interval between Pretest and the Followup

assessments. The standardized indirect effect ($a*b$) = .032, 90% CI [.002, .087]. SENSE = SENSE Theatre®. TTT = Tackling Teenage Training.